

**QUALITY CONTROL CERTIFICATE****FINAL PRODUCT DATA**

Description	X.L.D. AGAR (European Pharmacopoeia)
Code	060702
Lot number	2722u108
Production date	08/12/23
Expiration date	08/06/24

**PHYSICAL AND CHEMICAL CONTROL OF FINAL PRODUCT**

Control	Expected results	Observed results
Final pH at 25°C	7,4 +/- 0,2	7.2 (Confirmed)
Quantity of material	100ml (060702)	Confirmed
Color & cleanliness of the material	Red clear	Confirmed

**STERILITY TEST OF FINAL PRODUCTS**

Number of controlled products (3‰)	Incubation	Number of suitable products	Number of inappropriate products
1/060702	36 ± 1 °C for 48 hours	1/060702	0


**FINAL PRODUCT PERFORMANCE TEST** (According to European Pharmacopoeia Incubate at 30-35 °C for 18-48 h)

Microorganism	Expected results	Observed results
<i>Salmonella typhimurium</i> (≤300 cfu/ml) ATCC: 14028. Lot: 01102103 (productivity)	Growing (2) Clear Red (black center)	Confirmed Growth in XLD checked
<i>Enterococcus faecalis</i> (≤1000 cfu) ATCC: 29212. Lot: 01804803 (selectivity)	Inhibited (0)	Confirmed Growth in TSA checked

- Production and quality control tests were carried out at the premises of Bioprep G. Papanikolaou & Co. According to EN ISO 9001:2015 / EAOT EN ISO 13485:2016. In addition, the company's audit department implements to ISO 11133: 2014.
- The products of this batch will have the results reported once the user receives them cool (8-25 °C) then keep them at the temperature indicated on the packaging until the expiration date and follow the using instructions of the brochure.
- 0: Growth zero. 1: Weak growth. 2: Good growth. PR: Productivity Rate.

**Release of the batch**YES  NO **DATE**

11/12/2023

**Iniotaki Fofi****Quality Control Manager**